

# IKARUS 256.71 72

Ikarusbusclub.Ru



## *Ikarus*

Coach & Body Building Works

---

Székesfehérvár P.O.B. 21.  
H-8002 Hungary

Phone: /36/22/12-284  
Telex: 021-323

## GENERAL DATA

MODEL 256.71


MODEL 256.72

Overall Length	10.990 mm	10.990 mm
Overall width	2.500 mm	2.500 mm
Overall height	3.480 mm	3.180 mm
Wheel base	5.330 mm	5.330 mm
Vehicle weight	11.000 kg	10.400 kg
Payload	4.520 kg	4.520 kg
Gross vehicle weight	15.520 kg	14.920 kg
Number of passenger	48	48

Ikarusbusclub.Ru

## ENGINE

RÁBA-MAN D 2156	4 stroke, 6 cylinder in-line, diesel
Displacement	10,35 L
Max. output	141 KW (2100 rpm)
Max. torque	196 NM (1300 rpm)



Ikarusbusclub.Ru

## TRANSMISSION

Selective, synchronized with 6 forward speed and 1 backward  
 Max. speed 102 Km/h

## FRONT AXLE

Model: A 4-3000 008 rigid, rev. Elliot axle.

## REAR AXLE

Model: MVG 118.54, sheet axle body, balanced half axles epicyclic gear

## SUSPENSION

Air springs, with hollowed rubber helper, telescopic shock absorbers  
 with raised heat output


## BRAKE SYSTEM

Service brake, dual cycle air pressure brake  
 Parking brake, spring force, effecting the rear wheels, adjustable manual

## STEERING

Ikarusbusclub.Ru

Hydraulic power assisted steering unit  
Ratio 1:22,5



## BODY

Integral, rectangular welded steel sections, rear and front with protecting frame

Ikarusbusclub.Ru

## COVERING

Outside covering: roof, side walls, front-rear walls with steel sheet

Inside covering:

Ceiling, alu.sheet covered with synthetic leather

Side and front wall, varnished back fibre wood, covered with inserted leatherette

Floor: fibre wood impregnated with resin covered with smooth and antislip pattern vigoflex

## DOORS AND WINDOWS

Front: double inner folding door

Rear: single wing door (emergency)

Windshield: Large size, glued

Side windows: fitted in rubber

## SEATS

Shaped foam luxury seats, covered textile leatherette

## HEATING AND VENTILATION

Roof hatch, windshield sweat proofing with fan, heat water of the engine

Passenger area heating: Sirokko + Thermal with heat water


Model 256.71: Air Conditioned Thermo King SD-10102

## ELECTRICAL EQUIPMENT


Rated voltage 24 V

Battery capacity 182 Ah

Ikarusbusclub.Ru **IKARUS 256.71**



**IKARUS 256.72**



*Ikarus*

Székesfehérvár P.O.B. 21.  
H-8002 Hungary

Phone: /36/22/12-284  
Telex: 021-323